



A front-facing view of a dark-colored car with a cracked windshield. The windshield is covered in a fine layer of frost or snow, and the cracks are prominent. The interior of the car, including the seats and steering wheel, is visible through the glass. The car is parked in front of a building with a grid-like facade.

ThermoConnect TCon2 App



ThermoConnect TCon2 App

Download App
Scan QR Code på køretøj med
Thermoconnect App'en



ThermoConnect TCon2 Smartphone App og Web Browser App

Brugerflade til ThermoConnect: Dette er kontrolpanelet til indstilling og kontrol af varmerens ind- og udgange.



ThermoConnect TCon2 App: Software features in detail (1/4)

Al information på en skærm gør det let at skifte mellem forskellige ThermoConnect og varmeapparater


Start / stop Geo-fencing funktion ved at trykke på ikonet. Geo-fence område skal defineres på my.webastoconnect.com.

Administrer flere varmeapparater på en skærm: Disse pile vises kun, hvis flere varmeapparater er tilsluttet en ThermoConnect (2 varmere er muligt)

Timerindstillinger og visning af gemte timere: Timere kan indstilles til en defineret position og vil starte, hvis køretøjet er inden for denne position. Så indstillede timere behøver ikke bekræftes af sikkerhedsmæssige årsager.

Visning af information: Kabine temperatur, køretøjets batterispænding, køretøjets aktuelle position.

Fra venstre til højre: Link til my.webastoconnect.com; Beskeder, driverlog (kun Finland), indstillinger.



Skift indstillinger for den aktuelle valgte varmer:
For luftvarmer: Indstilling af varme eller ventilation og ventilationsniveau eller sætpunktstemperatur til opvarmning.
For vandvarmer: Indstilling af varme eller ventilation.

Valgt tilstand:
Start eller stop opvarmning eller ventilation via tryk på ikonet
Indstil varmevarighed for næste varmeanmodning via lang tryk. Indstil generel opvarmningsvarighed via my.webastoconnect.com

Kort:
Skifter til standardkort-app på mobiltelefonen og viser den aktuelle position for køretøjet.

Bubbles
Bobler viser valgbare hovedsider. Hver ThermoConnect-enhed har sin egen hovedside.

ThermoConnect TCon2

Software funktioner i detaljer (2/4)

Skift mellem opvarmning og ventilation til W-Bus tilsluttede vandvarmere

The image shows two screenshots of the Webasto demo app interface, illustrating the process of switching between heating and ventilation modes. A large blue arrow points from the left screenshot to the right one.

Left Screenshot: The app shows a central car icon with a red heat wave and the text "Heizgerät: Aus". The "Modus" button is highlighted with a hand icon. A text box above it says: "Ved tryk på modus kan du vælge mellem varme og ventilation".

Right Screenshot: The app shows a central "Modus" button. The "Lüften" (ventilation) mode is active, indicated by a dark blue background and a fan icon. A text box above it says: "Aktiveret funktion vil vises i mørk blå". Below the "Modus" button is a "Speichern" (save) button. A text box below it says: "Gem instillinger".

Both screenshots show the same top and bottom navigation elements: "Webasto demo", "Kein nächstes Ereignis", "Geofencing", "Timer", "Karte", "20 °C", "13.0V", "Yrttpellontie 4, 90230 Oulu, Finland", and "My WebastoConnect", "Mitteilungen", "Einstellungen".

ThermoConnect TCon2

Software funktioner i detaljer (3/4)

Skift mellem opvarmning og ventilation til luftvarmere, og definer indstillingens sætpunkttemperatur eller ventilationsniveau

The image illustrates the software functions of the ThermoConnect TCon2 app in three stages:

- Initial State:** The main menu shows a car icon with a red circle around it. A hand icon points to this circle. A callout box states: "Via tilstandsknappen kan varme eller ventilation indstilles". Below the car icon, it says "Heizgerät: Noch 1:00" and "21 °C".
- Varme eller (Heat) Mode:** The interface is titled "Varme eller". The central display shows "21 °C" with a thermometer icon. Callouts include: "Opvarmningstilstand aktiveres og indstilles til at varme op i 'Normal' tilstand (skift tilstand ved omskifting, hvis tilgængeligt)", "Sæt punkttemperatur vil blive vist her" (pointing to the temperature display), and "Kontrol sætpunkttemperatur ved at trykke '+' eller '-'".
- Ventilation Mode:** The interface is titled "Ventilation". The central display shows "Lüfterstufe 2" (Fan level 2). Callouts include: "Ventilation mode er aktiveret (icon blå)", "Ventilation level vil være vist her" (pointing to the fan level display), "Kontroller ventilation level ved at trykke '+' eller '-'", and "Gem indstillinger".

Common elements across all screens include: "Webasto demo" logo, "Kein nächstes Ereignis" (No next event), "Geofencing" and "Modus" buttons, "Timer" and "Karte" (Map) buttons, battery status (20 °C, 13.0V), location (Yrttipellontie 4, 90230 Oulu, Finland), and bottom navigation (My WebastoCon..., Mitteilungen, Einstellungen).

ThermoConnect TCon2 Software funktioner i detaljer (4/4)

Sæt timer aktiver positionsbaseret start

The image illustrates the steps to set a timer with location-based start in the ThermoConnect TCon2 app. It consists of three screenshots:

- Dashboard:** The main app screen shows a car icon with 'Heizgerät: Aus' (Heating device: Off). A 'Timer' icon is highlighted with a hand cursor. A callout box labeled 'Timer indstillinger' (Timer settings) points to this icon.
- Timer Settings:** A screen titled 'Timer' with a '+ ' button in the top right. A callout box labeled 'Sæt ny timer' (Set new timer) points to the '+' button. The screen displays 'Keine Timer' (No timer).
- Timer Configuration:** A detailed configuration screen for a timer. It shows options for 'Art des Timers' (Type of timer) with 'Einschaltzeit' (On time) and 'Abfahrtszeit' (Departure time) selected. The 'Ausgang' (Departure) is set to '15:09'. Other settings include 'Maximale Heizdauer' (1h 10min), 'Wiederholen' (nur ein Mal), 'Komfortstufe' (1), and 'Positionseinschränkung' (Nur gültig bei: Yrtpellontie 4, Oulu). A callout box labeled 'Vælg afgangstidspunkt eller start tidspunkt.' (Choose departure time or start time.) points to the 'Abfahrtszeit' field. Another callout box labeled 'Gem indstillinger' (Save settings) points to the top right. A third callout box labeled 'Positionsbaseret start: Timeren startes hver gang køretøjet er på en defineret position' (Location-based start: The timer starts every time the vehicle is at a defined position) points to the 'Positionseinschränkung' field.

ThermoConnect TCon2 ibrugsætning på få sekunder

1. Scan QR Code og download app'en fra Appstore eller Google Playstore



2. For at forbinde ThermoConnect enhed til din smartphone Scan QR Code leveret med enheden i kittet.

Demo App

Scan QR code for demo version i App

Vandvarmer demo



Luftvarmer demo





Tak For din opmærksomhed!

Webasto Teknik Team

Telefon +45 44522000

E-Mail Technics@webasto.com