

40 Series Marine Roof

Electric Sliding Roof



The 40 Series Marine roof is a standard sized and electrically operated roof system that features 8mm tinted safety glass with an attractive design.

The roof has a cross curvature and a D-shaped frame and panel.

The optional fixed panel can transform the roof into a full panoramic roof.

The roof is suitable for boats with both open and closed cabins.

Advantages:

- ISO12216, Area III, Cat B
- 8mm safety glass
- Watertight
- Electrical operation
- Fast and simple installation
- Robust and quality tested design
- Optional fixed panel for panoramic views
- Optional motor cover for interior finish
- Optional block out blind and flyscreen

Technical Specifications

Cut out dimensions		
L1	Total length [mm]	915 +4 / -0
L2	Length straight part [mm]	890
W1	Width [mm]	1,320 +4 / -0
R1	Corner radius, front/rear [mm]	80 ± 2
R2	Cross curvature [mm]	7,620
R3	Front radius [mm]	2,032
	Longitudinal curvature [mm]	Uncurved
Dimensions marine roof		
L3	Overall length [mm]	1,865
L4	Length glass panel [mm]	1,040
L5	Rail length [mm]	900
W2	Width [mm]	1,378
H	Height [mm]	49
R4	Corner radius glass panel, rear [mm]	25
R5	Corner radius glass panel, front [mm]	100
R6	Front radius glass panel [mm]	2,055
R7	Cross curvature [mm]	7,669
	Longitudinal curvature [mm]	Uncurved
Glass panel displacement		
	"tilt" (Z-direction) [mm]	22
	"slide" (X-direction) [mm]	approx. 660

